# SAFETY DATA SHEET

# A.W.F. FLEXI-TAPE

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name Supplier Address A.W.F. Flexi-Tape A.W.F. SMS Ltd Unit I D Brymau 3 Estate River Lane Saltney Chester, CH4 8RQ 01244 - 677833 01244 - 677844

Phone Number Fax Number

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Strip Sealant: Homogeneous mixture of mineral filler, synthetic rubber, inert liquid polymer, process oil.

Film White colour coated, Aluminium or lead look foil faced polyester film.

### 3. HAZARDS IDENTIFICATION

No known hazards.

# 4. FIRST AID MEASURES

<u>Eves</u> If contact of any material with the eye occurs, irrigate the area affected thoroughly with cold water.

<u>Mouth (Ingestion)</u> In case of ingestion of any material, drink water seek medical attention immediately.

<u>Skin</u> Wash affected areas. If irritation of the eyes or skin persists seek medical attention.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Foam, Foamspray AFF, Dry Powder, carbon Dioxide, Unsuitable extinguishing media; None known.

Combustion products: Water, Carbon Dioxide, Carbon Monoxide, Incompletely burned carbon products.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Remove any source of ignition until all the material has been cleared.

Environmental Precautions: Keep away from drains and watercourses.

continued on page 2

continued from page 1

Clean up Procedures: Small quantities of spilled material should be wiped up immediately with rags and the rags disposed of in solid waste containers.

#### 7. HANDLING AND STORAGE

<u>Handling</u> Ensure good ventilation. Avoid contact with skin, eyes and do not swallow.

<u>Storage</u> Store in cool dry conditions away from direct sunlight or any other source of heat, at temperatures below 25° C.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit None Respiratory protection Maintain good ventilation. Eye and Skin Protection Avoid contact with skin and eyes.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Soft, tacky, solid strip, extruded and reeled onto release paper. Colour Black or white strip on a white colour coated Aluminium or Lead look foil faced Polyester film. Odour Very low odour. Flash point N/A Solubility Soluble in organic liquids, insoluble in water. Volatile Content None Spec. Gravity 1.6

#### **10. STABILITY AND REACTIVITY**

Stable at normal ambient temperatures.

#### **11. TOXICOLOGICAL INFORMATION**

Eye Contact May cause smarting and irritation. Skin Contact Prolonged contact will defat and dry skin leading to possible irritation and Dermatitis Inhalation N/A

Ingestion May cause irritation of the mouth, throat and digestive system and eventual vomiting.

#### **12. ECOLOGICAL INFORMATION**

Degradability Biodegradable Ecotoxicity Aquatic and terrestrial ecotoxicity not known.

#### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations e.g. incineration or landfill.

# **14. TRANSPORT INFORMATION**

UN Number N/A

Symbols N/A

No special packaging or labelling requirements for Road, Rail, Sea or Air Transport.

#### **15. REGULATORY INFORMATION**

EEC Supply classification and Labelling No specific information required.

# **16. OTHER INFORMATION**

This product safety data sheet conforms to EC Directive 91/155/EEC. Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue 15/06/2007